

Darest SHOP

HP StorageWorks - 82Q PCI-e Fibre Channel Host Bus Adapter Dual Port



✓ Delivery time: 2-3 days

CHF **165.40**

CHF **153.01** excl.

HP StorageWorks 82Q PCI-e Fibre Channel Host Bus Adapter Dual Port - Host bus adapter - PCI Express x8 low profile - 8Gb Fibre Channel (SW) - 2 ports - for ProLiant DL160 Gen8, DL165 G7, DL360e Gen8, DL360p Gen8, DL380p Gen8, DL385p Gen8

Manufacturer [Hewlett-Packard](#)
EAN 883585907199
Manufacturer# AJ764A

Description

Dimensionen

Abmessungen	10 mm (B) x 64 mm (H) x 168 mm (T)
Formfaktor	Full-Height Low-Profile
Tiefe	168 mm
Breite	10 mm
Höhe	64 mm
Gewicht	0.68 kg

Datenspeicher

Transferrate 8000 Mbit/s

Schnittstellen

Anzahl Ports 2

Schnittstelle PCI-Express
Hardware

Datenanschlüsse

Datenanschluss Fiber Channel
Seite B

Empfänger

Anzahl Kanäle 2 ×

Speicher

RAID Nein

Weitere Informationen

Weitere Informationen zu HPE Proliant Ser
Specification

Product Description HPE StorageWorks 82Q - host bus adapter - PCIe x8 - 8Gb Fibre Channel x 2

Device Type Host bus adapter

Form Factor Plug-in card - low profile

Interface (Bus) Type PCI Express x8

PCI Specification Revision PCIe 2.0

Ports 8Gb Fibre Channel x 2

Dimensions (WxDxH) 16.8 cm x 6.4 cm

Data Link Protocol 8Gb Fibre Channel (SW)

Data Transfer Rate 8.5 Gbps

System Requirements Microsoft Windows Server 2003, SunSoft Solaris 10, Red Hat Enterprise Linux 4 for x86/ AMD64/ EM64T, SuSE Linux Enterprise Server 11 for x86/AMD64/Intel EM64T, SuSE Linux Enterprise Server 10 for

x86/AMD64/Intel EM64T, Red Hat Enterprise Linux 5 for Intel x86 / AMD64 / EM64T, Microsoft Windows Server 2008, VMware ESX Server 3.5

Manufacturer
Warranty

3-year warranty

Designed For

Modular Smart Array 1040, P2000 G3; ProLiant DL120 G7, DL160 Gen8, DL165 G7, DL360 G7, DL360e Gen8, DL360p Gen8, DL380 G6, DL380 G7, DL380p Gen8, DL385p Gen8, DL580 G5, SL160s G6, SL210t Gen8; StorageWorks Network Storage Gateway X3400 G2, X3800 G2; StoreEasy 3850

Techn. Details

Device Type

Host bus adapter

Form Factor

Plug-in card - low profile

Interface
(Bus) Type

PCI Express x8

PCI
Specification
Revision

PCIe 2.0

Ports

8Gb Fibre Channel x 2

Connectivity
Technology

Wired

Data Link
Protocol

8Gb Fibre Channel (Short Wave)

Data
Transfer
Rate

8.5 Gbps

Features

Auto-negotiation

Expansion
Slots

2 (total) / 0 (free) x SFP+

Interfaces

2 x 8Gb Fibre Channel (short wave) - LC multi-mode - x 2

Compatible
Slots

1 x PCI Express x8

Included
Accessories

Low-profile bracket

OS
Required

Microsoft Windows Server 2003, SunSoft Solaris 10, Red Hat Enterprise Linux 4 for x86/ AMD64/ EM64T, SuSE Linux Enterprise Server 11 for x86/AMD64/Intel EM64T, SuSE Linux Enterprise Server 10 for x86/AMD64/Intel EM64T, Red Hat Enterprise Linux 5 for Intel x86 / AMD64 / EM64T, Microsoft Windows Server 2008, VMware ESX Server 3.5

Depth	16.8 cm
Height	6.4 cm
Service & Support	Limited warranty - parts - 3 years
Min Operating Temperature	0 °C
Max Operating Temperature	55 °C
Humidity Range Operating	10 - 90%
Designed For	HPE Modular Smart Array 1040 Dual Controller SFF Bundle, P2000 G3 10GbE iSCSI Dual Controller SFF Array System, P2000 G3 iSCSI Dual Controller SFF Bundle HPE ProLiant DL120 G7, DL120 G7 Base, DL120 G7 Entry, DL120 G7 Performance, DL160 Gen8, DL160 Gen8 Entry, DL160 Gen8 Performance, DL160se G6, DL165 G7, DL165 G7 Base, DL165 G7 Performance, DL165 G7 Special Server, DL170h G6, DL320 G6 Performance, DL360 G7, DL360 G7 Base, DL360 G7 Central Management Server, DL360 G7 Efficiency, DL360 G7 Entry, DL360 G7 Performance, DL360 G7 Special Server, DL360e Gen8, DL360e Gen8 Entry, DL360e Gen8 Performance, DL360e Gen8 Special Server, DL360p Gen8, DL360p Gen8 Base, DL360p Gen8 CMS, DL360p Gen8 Entry, DL360p Gen8 High Performance, DL370 G6 High Performance, DL380 G6, DL380 G7, DL380 G7 Base, DL380 G7 Efficiency, DL380 G7 Entry, DL380 G7 Performance, DL380 G7 Special Server, DL380p Gen8, DL380p Gen8 Base, DL380p Gen8 Entry, DL380p Gen8 High Performance, DL380p Gen8 Special, DL385 G7, DL385 G7 Base, DL385 G7 Entry, DL385 G7 HE, DL385 G7 Performance, DL385p Gen8, DL385p Gen8 Dedicated Workload, DL385p Gen8 Entry, DL385p Gen8 Maximized Consolidation, DL385p Gen8 Storage, DL580 G5 Highly Serviceable Tower, DL580 G7, DL580 G7 Base, DL580 G7 High Performance, DL585 G6 Performance, DL585 G7, DL585 G7 Base, DL585 G7 Performance, DL785 G6, DL785 G6 Base, DL785 G6 Performance, DL980 G7, ML350 G6 Special Server, SL160s G6, SL160z G6, SL210t Gen8 1U Node HPE StorageWorks MSL2024 Ultrium 3000, MSL2024 Ultrium 3280, MSL4048 Ultrium 3000, MSL4048 Ultrium 3280, MSL8096 Ultrium 3280, SN6000C 16-ports Active Fabric Switch, SN6000C 32-ports Active Fabric Switch HPE StorageWorks 1/8 G2 Tape Autoloader Ultrium 3000 HPE StorageWorks Network Storage Gateway X3400 G2, X3800 G2, X9300 HPE StorageWorks Network Storage System X1600, X1600 292GB SAS Model, X1600 7.5TB SAS Model, X1800, X1800 292GB SAS Model HPE StoreEasy 3850 Gateway Single Node

Date added: 2013-05-29 16:36:06 / SID: 946395 / DID: AJ764A-REF